

VC SUCTION CUPS

TYPES :

1. **Universal suction cups**, for handling objects with flat or slightly curved surfaces.
2. **Flat suction cups with cleats**, for flat surfaces where minimum movement is required. The cleats ensure extra stability and distribute the vacuum over a large area.
3. **Bellow suction cups**, for curved surfaces, separating thin items and where height compensation is required.

STANDARD SERIES :

Color : Blue

Diameter : from $\varnothing = 3$ mm until $\varnothing = 280$ mm

Material : Polyvinyl Compound (PVC) of 50 Shore

In some cases it has a durability of 30 times those of rubber.

Certain models are also available in Polyurethane (PU) and Silicone (SIL).

Working Temperature : **PVC** : 0° till 50°C, **PU** : -35° till 50°C, **SIL** : -40° till 180°C

























REMARKS :

- This is only a selection of the standard suction cups **available on stock**.
- We have much more models available on request.
(with a minimum quantity of 25 pieces)
- Send us a sample!



We have the most exotic suction cups!

1. UNIVERSAL SUCTION CUPS

<p style="text-align: center;">Ø 13</p>   <p style="text-align: center;">VC�J2-SHAFT</p>	<p style="text-align: center;">Ø 16</p>   <p style="text-align: center;">VC179-SHAFT</p>	<p style="text-align: center;">Ø 20</p>   <p style="text-align: center;">VC22-SHAFT</p>	<p style="text-align: center;">Ø 21</p>   <p style="text-align: center;">VC66A-SHAFT</p>	<p style="text-align: center;">Ø 25</p>   <p style="text-align: center;">VC36</p>
<p style="text-align: center;">Ø 25</p>   <p style="text-align: center;">VC147-SHAFT</p>	<p style="text-align: center;">Ø 28</p>   <p style="text-align: center;">VC118-SHAFT</p>	<p style="text-align: center;">Ø 35</p>   <p style="text-align: center;">VC132</p>	<p style="text-align: center;">Ø 36</p>   <p style="text-align: center;">VC166</p>	<p style="text-align: center;">Ø 51</p>   <p style="text-align: center;">VC204B-SHAFT</p>
<p style="text-align: center;">Ø 78</p>   <p style="text-align: center;">VC30-SHAFT</p>	<p style="text-align: center;">Ø 88</p>   <p style="text-align: center;">VC15-SHAFT</p>			

Technical modifications keep in reserve !



























(2013/01)

This are only the cups available on stock. We have much more models on request!

2. FLAT SUCTION CUPS WITH CLEATS

Technical modifications keep in reserve !





























(2013/01)

<p>Ø 13</p>   <p>VC158-SHAFT</p>	<p>Ø 20</p>   <p>VC119-SHAFT</p>	<p>Ø 26</p>   <p>VC36B</p>	<p>Ø 26</p>   <p>VC160-SHAFT</p>	<p>Ø 33</p>   <p>VC2A-SHAFT</p>
<p>Ø 33</p>   <p>VC2D-SHAFT</p>	<p>Ø 35</p>   <p>VC2E1-SHAFT</p>	<p>Ø 53</p>   <p>VC59-1/4\"HOLE</p>	<p>Ø 60</p>   <p>VC101-SHAFT</p>	<p>Ø 63</p>   <p>VC49-SHAFT</p>
<p>Ø 82</p>   <p>VC27A-1/2\"</p>	<p>Ø 108</p>   <p>VC27-1/2\"</p>	<p>Ø 153</p>   <p>VC39-1/2\"</p>		

This are only the cups available on stock. We have much more models on request!

3. BELLOW SUCTION CUPS

(** maximum axial movement)

<p>Ø 13</p>   <p>VCB3 **7mm</p>	<p>Ø 16</p>   <p>VC176-SHAFT **6mm</p>	<p>Ø 20</p>   <p>VCB2 **8mm</p>	<p>Ø 20</p>   <p>VC33A5 **13mm</p>	<p>Ø 23</p>   <p>VC33A3-SHAFT **9mm</p>
<p>Ø 26</p>   <p>VC124-SHAFT **12mm</p>	<p>Ø 31</p>   <p>VCB1 **10mm</p>	<p>Ø 33</p>   <p>VC33A2 **15mm</p>	<p>Ø 33</p>   <p>VC33A2-SHAFT **15mm</p>	<p>Ø 45</p>   <p>VC32 **20mm</p>
<p>Ø 50</p>   <p>VC32D-SHAFT **22mm</p>	<p>Ø 51</p> <p>30/50/60 Shore</p>   <p>VC32C-SHAFT **13mm</p>	<p>Ø 70</p> <p>Only 30 Shore</p>   <p>VC32B-SHAFT **23mm</p>	<p>Ø 112</p>   <p>VC104-4.5" **22mm</p>	

Technical modifications keep in reserve !

(2013/01)

This are only the cups available on stock. We have much more models on request!